

Part of Thermo Fisher Scientific

SAFETY DATA SHEET

Creation Date 01-May-2012	eation Date 01-May-2012 Revision Date 23-Jan-2015					
	1. Identification					
Product Name	Benzoic acid					
Cat No. :	A63-500; A65-500; A68-30					
Synonyms	Benzenecarboxylic acid; Benzenemethanoic acid; Pher Benzeneformic acid; Carboxybenzene	ylcarboxylic acid; Phenylformic acid;				
Recommended Use	Laboratory chemicals.					
Uses advised against Details of the supplier of the saf	No Information available ety data sheet					
Company Fisher Scientific	Emergency Telephone Number CHEMTREC®. Inside the USA: 800-424-9300					

Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100 Emergency Telephone Number CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin Corrosion/irritation Serious Eye Damage/Eye Irritation Specific target organ toxicity - (repeated exposure) Target Organs - Lungs. Category 2 Category 1 Category 1

Label Elements

Signal Word Danger

Hazard Statements Causes skin irritation Causes serious eye damage Causes damage to organs through prolonged or repeated exposure



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Do not breathe dust/fume/gas/mist/vapors/spray Do not eat, drink or smoke when using this product

Response

Get medical attention/advice if you feel unwell Skin

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

May form combustible dust concentrations in air

3. Composition / information on ingredients

Component	CAS-No	Weight %
Benzoic acid	65-85-0	>95

4. First-aid measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Obtain medical attention.
Inhalation	Remove from exposure, lie down. Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Obtain medical attention.
Ingestion	Do not induce vomiting. Obtain medical attention.
Most important symptoms/effects	Causes eye burns. Repeated or prolonged skin contact may cause allergic reactions with
Notes to Physician	susceptible persons. Treat symptomatically
	5. Fire-fighting measures
Suitable Extinguishing Media	Water spray. Carbon dioxide (CO 2). Dry chemical. chemical foam.
Unsuitable Extinguishing Media	No information available
Unsuitable Extinguishing Media Flash Point	No information available
Flash Point	121 °C / 249.8 °F
Flash Point Method - Autoignition Temperature	121 °C / 249.8 °F No information available Not applicable 570 °C / 1058 °F No data available
Flash Point Method - Autoignition Temperature Explosion Limits Upper Lower	121 °C / 249.8 °F No information available Not applicable 570 °C / 1058 °F No data available No data available
Flash Point Method - Autoignition Temperature Explosion Limits Upper	121 °C / 249.8 °F No information available Not applicable 570 °C / 1058 °F No data available No data available

Specific Hazards Arising from the Chemical Dust can form an explosive mixture in air.

Hazardous Combustion Products

Carbon monoxide (CO) Carbon dioxide (CO2)

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA			
Health 3	Flammability 1	Instability 0	Physical hazards N/A
	6 Appidantal ra	lease measures	
Personal Precautions Environmental Precautions		quipment. Ensure adequate ven nal ecological information.	tilation.
Methods for Containment and Cle Up	ean Sweep up or vacuum up s formation.	pillage and collect in suitable co	ntainer for disposal. Avoid dust
	7. Handling	and storage	
Handling	Avoid contact with skin an	d eyes. Avoid ingestion and inha	alation. Do not breathe dust.
Storage	Keep in a dry, cool and we from heat and sources of	ell-ventilated place. Keep contair ignition.	ner tightly closed. Keep away
8.	Exposure controls	/ personal protection	on
Exposure Guidelines		tain any hazardous materials wi specific regulatory bodies.	th occupational exposure limits
Engineering Measures		on, especially in confined areas. ose to the workstation location.	Ensure that eyewash stations
Personal Protective Equipment			
Eye/face Protection		ve eyeglasses or chemical safet tection regulations in 29 CFR 19	
Skin and body protection	Wear appropriate protectiv	ve gloves and clothing to preven	t skin exposure.
Respiratory Protection	EN 149. Use a NIOSH/MS	or regulations found in 29 CFR 1 SHA or European Standard EN 1 ded or if irritation or other sympto	49 approved respirator if
Hygiene Measures	Handle in accordance with	n good industrial hygiene and sa	fety practice.
	9. Physical and ch	nemical properties	
Physical State Appearance		Solid Off-white	

Appearance Odor **Odor Threshold** рΗ . Melting Point/Range Boiling Point/Range Flash Point

Off-white aromatic No information available 2.5-3.5 2.9 g/l water 121 - 123 °C / 249.8 - 253.4 °F 249 °C / 480.2 °F @ 760 mmHg 121 °C / 249.8 °F

Evaporation Rate Flammability (solid,gas) Flammability or explosive limits Upper Lower Vapor Pressure Vapor Density Relative Density Solubility Partition coefficient; n-octanol/water Autoignition Temperature Decomposition Temperature Viscosity Molecular Formula Molecular Weight Not applicable No information available

No data available No data available 1.3 hPa @ 96 °C Not applicable No information available soluble No data available Not applicable 570 °C / 1058 °F No information available Not applicable C7 H6 O2 122.12

10. Stability and reactivity

Reactive Hazard	None known, based on information available
Stability	Stable under normal conditions.
Conditions to Avoid	Incompatible products. Avoid dust formation.
Incompatible Materials	Strong acids, Strong bases, Strong oxidizing agents, Strong reducing agents, Metals
Hazardous Decomposition Product	s Carbon monoxide (CO), Carbon dioxide (CO ₂)
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	Aqueous solution, May react with metals and lead to the formation of flammable hydrogen gas.

11. Toxicological information

Acute Toxicity

Product Information

	ation						
Componer	nt	LD50 Oral		LD50 Dermal	LC50 I	nhalation	
Benzoic ac	id	1700 mg/kg (Rat) 2565 mg/kg(Rat)		Not listed	26 mg/m³(Rat)		
Foxicologically Syr Products Delayed and immed	-	No information ava		d long-term expo	<u>sure</u>		
rritation		Irritating to eyes, re	espiratory system	and skin			
Sensitization		No information available					
Carcinogenicity		The table below inc	dicates whether ea	ach agency has list	ed any ingredient a		
u				and agoiney had not		is a carcinogen.	
Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico	
Component Benzoic acid	CAS-No 65-85-0						
Benzoic acid Mutagenic Effects	65-85-0	IARC Not listed Not mutagenic in A	NTP Not listed MES Test	ACGIH	OSHA	Mexico	
Benzoic acid Mutagenic Effects Reproductive Effec	65-85-0 ts	IARC Not listed Not mutagenic in A No information ava	Not listed MES Test ilable.	ACGIH	OSHA	Mexico	
Benzoic acid Autagenic Effects	65-85-0 ts	IARC Not listed Not mutagenic in A	NTP Not listed MES Test ilable. ilable.	ACGIH	OSHA	Mexico	

STOT - single exposure STOT - repeated exposure	None known Lungs
Aspiration hazard	No information available
Symptoms / effects,both acute and delayed	No information available
Endocrine Disruptor Information	No information available
Other Adverse Effects	The toxicological properties have not been fully investigated. See actual entry in RTECS for complete information.

12. Ecological information

Ecotoxicity

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Benzoic acid	5 mg/L EC50 = 3 h	180 mg/L LC50 96 h	EC50 = 16.85 mg/L 30 min	300 mg/L EC50 = 24 h 860
	-	-	EC50 = 16.9 mg/L 15 min	mg/L EC50 = 48 h

Persistence and Degradability Bioaccumulation/ Accumulation

Soluble in water Persistence is unlikely based on information available. No information available.

Mobility

Is not likely mobile in the environment due its low water solubility. Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Benzoic acid	1.93

13. Disposal considerations

 Waste Disposal Methods
 Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information					
DOT	Not regulated				
DOT TDG IATA	Not regulated				
ΙΑΤΑ	Not regulated				
IMDG/IMO	Not regulated				
	15. Regulatory information				

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Benzoic acid	Х	Х	-	200-618-2	-		Х	Х	Х	Х	Х

Legend:

X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

SARA 313	Not applicable
SARA 311/312 Hazardous Acute Health Hazard	Categorization

Chronic Health Hazard
Fire Hazard
Sudden Release of Pressure Hazard
Reactive Hazard

Clean Water Act

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Benzoic acid	Х	5000 lb	-	-
	•		•	

Yes Yes No No No

Clean Air Act Not applicable

OSHA Occupational Safety and Health Administration Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Benzoic acid	5000 lb	-

California Proposition 65 This product does not contain any Proposition 65 chemicals

State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Benzoic acid	Х	Х	Х	-	-

U.S. Department of Transportation

Reportable Quantity (RQ):	Ν
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations


Mexico - Grade No information available

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class

E Corrosive material D2A Very toxic materials



16. Other information

Prepared By

Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com

Creation Date Revision Date Print Date Revision Summary 01-May-2012 23-Jan-2015 23-Jan-2015 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS